



## Tay-Sachs disease

Tay-Sachs disease is a rare inherited disorder that progressively destroys nerve cells (neurons) in the brain and spinal cord.

The most common form of Tay-Sachs disease becomes apparent in infancy. Infants with this disorder typically appear normal until the age of 3 to 6 months, when their development slows and muscles used for movement weaken. Affected infants lose motor skills such as turning over, sitting, and crawling. They also develop an exaggerated startle reaction to loud noises. As the disease progresses, children with Tay-Sachs disease experience seizures, vision and hearing loss, intellectual disability, and paralysis. An eye abnormality called a cherry-red spot, which can be identified with an eye examination, is characteristic of this disorder. Children with this severe infantile form of Tay-Sachs disease usually live only into early childhood.

Other forms of Tay-Sachs disease are very rare. Signs and symptoms can appear in childhood, adolescence, or adulthood and are usually milder than those seen with the infantile form. Characteristic features include muscle weakness, loss of muscle coordination (ataxia) and other problems with movement, speech problems, and mental illness. These signs and symptoms vary widely among people with late-onset forms of Tay-Sachs disease.

### Frequency

Tay-Sachs disease is very rare in the general population. The genetic mutations that cause this disease are more common in people of Ashkenazi (eastern and central European) Jewish heritage than in those with other backgrounds. The mutations responsible for this disease are also more common in certain French-Canadian communities of Quebec, the Old Order Amish community in Pennsylvania, and the Cajun population of Louisiana.

### Genetic Changes

Mutations in the *HEXA* gene cause Tay-Sachs disease. The *HEXA* gene provides instructions for making part of an enzyme called beta-hexosaminidase A, which plays a critical role in the brain and spinal cord. This enzyme is located in lysosomes, which are structures in cells that break down toxic substances and act as recycling centers. Within lysosomes, beta-hexosaminidase A helps break down a fatty substance called GM2 ganglioside.

Mutations in the *HEXA* gene disrupt the activity of beta-hexosaminidase A, which prevents the enzyme from breaking down GM2 ganglioside. As a result, this substance accumulates to toxic levels, particularly in neurons in the brain and spinal cord.

Progressive damage caused by the buildup of GM2 ganglioside leads to the destruction of these neurons, which causes the signs and symptoms of Tay-Sachs disease.

Because Tay-Sachs disease impairs the function of a lysosomal enzyme and involves the buildup of GM2 ganglioside, this condition is sometimes referred to as a lysosomal storage disorder or a GM2-gangliosidosis.

### **Inheritance Pattern**

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

### **Other Names for This Condition**

- B variant GM2 gangliosidosis
- GM2 gangliosidosis, type 1
- HexA deficiency
- Hexosaminidase A deficiency
- Hexosaminidase alpha-subunit deficiency (variant B)
- Sphingolipidosis, Tay-Sachs
- TSD

### **Diagnosis & Management**

#### Genetic Testing

- Genetic Testing Registry: Tay-Sachs disease  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0039373/>

#### Other Diagnosis and Management Resources

- GeneReview: Hexosaminidase A Deficiency  
<https://www.ncbi.nlm.nih.gov/books/NBK1218>
- MedlinePlus Encyclopedia: Tay-Sachs Disease  
<https://medlineplus.gov/ency/article/001417.htm>

#### General Information from MedlinePlus

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>

- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>

## **Additional Information & Resources**

### MedlinePlus

- Encyclopedia: Tay-Sachs Disease  
<https://medlineplus.gov/ency/article/001417.htm>
- Health Topic: Neurologic Diseases  
<https://medlineplus.gov/neurologicdiseases.html>
- Health Topic: Tay-Sachs Disease  
<https://medlineplus.gov/taysachsdisease.html>

### Genetic and Rare Diseases Information Center

- Tay-Sachs disease  
<https://rarediseases.info.nih.gov/diseases/7737/tay-sachs-disease>

### Additional NIH Resources

- GeneEd  
[https://geneed.nlm.nih.gov/topic\\_subtopic.php?tid=142&sid=150](https://geneed.nlm.nih.gov/topic_subtopic.php?tid=142&sid=150)
- National Human Genome Research Institute  
<https://www.genome.gov/10001220/>
- National Institute of Neurological Disorders and Stroke: Lipid Storage Diseases Fact Sheet  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Lipid-storage-diseases-Information-Page>
- National Institute of Neurological Disorders and Stroke: Tay-Sachs Disease Information Page  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Tay-Sachs-Disease-Information-Page>

### Educational Resources

- Cedars-Sinai Medical Center  
<http://www.cedars-sinai.edu/Patients/Health-Conditions/Tay-Sachs-Disease.aspx>
- Disease InfoSearch: Tay Sachs disease  
<http://www.diseaseinfosearch.org/Tay+Sachs+disease/7008>
- KidsHealth from the Nemours Foundation  
<http://kidshealth.org/en/parents/tay-sachs.html>
- MalaCards: tay-sachs disease  
[http://www.malacards.org/card/tay\\_sachs\\_disease](http://www.malacards.org/card/tay_sachs_disease)
- March of Dimes  
<http://www.marchofdimes.org/baby/tay-sachs-and-sandhoff-diseases.aspx>
- My46 Trait Profile  
<https://www.my46.org/trait-document?trait=Tay-Sachs%20disease&type=profile>
- Orphanet: Tay-Sachs disease  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=845](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=845)
- The Norton & Elaine Sarnoff Center for Jewish Genetics  
<http://www.jewishgenetics.org/cjg/Ashkenazi-Jewish-Disorders.aspx>
- Your Genes Your Health from Cold Spring Harbor Laboratory  
<http://www.ygyh.org/tay/whatisit.htm>

### Patient Support and Advocacy Resources

- CLIMB (Children Living with Inherited Metabolic Diseases) (UK)  
<http://www.CLIMB.org.uk>
- National Organization for Rare Disorders (NORD)  
<https://rarediseases.org/rare-diseases/tay-sachs-disease/>
- National Tay-Sachs and Allied Diseases Association, Inc.  
<https://www.ntsad.org/>

### GeneReviews

- Hexosaminidase A Deficiency  
<https://www.ncbi.nlm.nih.gov/books/NBK1218>

### ClinicalTrials.gov

- ClinicalTrials.gov  
<https://clinicaltrials.gov/ct2/results?cond=%22Tay-Sachs+disease%22+OR+%22GM2+Gangliosidoses%22>

## Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Tay-Sachs+Disease%5BMAJR%5D%29+AND+%28Tay-Sachs+disease%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1440+days%22%5Bdp%5D>

## OMIM

- TAY-SACHS DISEASE  
<http://omim.org/entry/272800>

## **Sources for This Summary**

- Chavany C, Jendoubi M. Biology and potential strategies for the treatment of GM2 gangliosidoses. *Mol Med Today*. 1998 Apr;4(4):158-65. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/9572057>
- Fernandes Filho JA, Shapiro BE. Tay-Sachs disease. *Arch Neurol*. 2004 Sep;61(9):1466-8. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15364698>
- GeneReview: Hexosaminidase A Deficiency  
<https://www.ncbi.nlm.nih.gov/books/NBK1218>
- Maegawa GH, Stockley T, Tropak M, Banwell B, Blaser S, Kok F, Giugliani R, Mahuran D, Clarke JT. The natural history of juvenile or subacute GM2 gangliosidosis: 21 new cases and literature review of 134 previously reported. *Pediatrics*. 2006 Nov;118(5):e1550-62. Epub 2006 Oct 2. Review. Erratum in: *Pediatrics*. 2007 Oct;120(4):936.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17015493>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2910078/>
- Mahuran DJ. Biochemical consequences of mutations causing the GM2 gangliosidoses. *Biochim Biophys Acta*. 1999 Oct 8;1455(2-3):105-38. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/10571007>
- Montalvo AL, Filocamo M, Vlahovicek K, Dardis A, Lualdi S, Corsolini F, Bembi B, Pittis MG. Molecular analysis of the HEXA gene in Italian patients with infantile and late onset Tay-Sachs disease: detection of fourteen novel alleles. *Hum Mutat*. 2005 Sep;26(3):282.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16088929>
- Neudorfer O, Pastores GM, Zeng BJ, Gianutsos J, Zaroff CM, Kolodny EH. Late-onset Tay-Sachs disease: phenotypic characterization and genotypic correlations in 21 affected patients. *Genet Med*. 2005 Feb;7(2):119-23.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15714079>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/tay-sachs-disease>

Reviewed: October 2012

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services